


DRILLING / carbide



GRADES

| TURNING | MICRONEGATIVE | ISO DIN 513 | | | | | | | | | | | | | | |
|-------------|---------------|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | K | | | | | P | | | | | M | | | | |
| | | K01 | K10 | K20 | K30 | K40 | P01 | P10 | P20 | P30 | P40 | M01 | M10 | M20 | M30 | M40 |
| MICROBORING | CARBIDE CVD | | | | | | | | | | | | | | | |
| THREADING | CARBIDE PVD | | | | | | | | | | | | | | | |
| GROOVING | | | | | | | | | | | | | | | | |
| MILLING | | | | | | | | | | | | | | | | |
| DRILLING | | | | | | | | | | | | | | | | |
| SPARE PARTS | | | | | | | | | | | | | | | | |
| INDEX | | | | | | | | | | | | | | | | |

JP7525

JP5520

JP5530

JP5520

JP5530

**POSITIVE 11°
with hole**

SP

NEW

| | SP | 0502 | 0602 | 07T3 | 0904 | 1104 | 1405 |
|---------|------|------|------|------|-------|-------|------|
| IC | 5,56 | 6,00 | 7,94 | 9,80 | 11,50 | 14,30 | |
| T | 2,38 | 2,38 | 3,97 | 4,30 | 4,76 | 5,56 | |
| Ød | 2,50 | 2,80 | 2,80 | 4,10 | 4,40 | 5,50 | |
| HOLDERS | 348 | 348 | 348 | 348 | 349 | 349 | |

| DESCRIPTION | | CARBIDE-PVD | | | | | | | | | | | | | | | |
|-------------|------|-------------|--------|--------|---|--|--|--|--|--|--|--|--|--|--|--|--|
| | | JP5520 | JP5530 | JP7525 | | | | | | | | | | | | | |
| | SPMX | 050204-GP | ★ | ★ | ★ | | | | | | | | | | | | |
| | | 060204-GP | ★ | ★ | ★ | | | | | | | | | | | | |
| | | 07T308-GP | ★ | ★ | ★ | | | | | | | | | | | | |
| | | 090408-GP | ★ | ★ | ★ | | | | | | | | | | | | |
| | | 110408-GP | ★ | ★ | ★ | | | | | | | | | | | | |
| | | 140512-GP | ★ | ★ | ★ | | | | | | | | | | | | |

- TURNING
- MICRONEGA
- MICROBORING
- THREADING
- GROOVING
- MILLING
- DRILLING
- SPARE PARTS
- INDEX

DRILLING / holders



TURNING

MICRONEGA

MICROBORING

THREADING

GROOVING

MILLING

DRILLING

SPARE PARTS


INDEX

NT-DRS

NEW

2xD

SP



| SP <input type="checkbox"/> <input type="checkbox"/> | DESCRIPTION | STOCK | DIMENSIONS | | | | | | | | | | |
|--|-------------------------|-------|------------|-----|-----|----|----------|----------|---------|--|--|--|--|
| | | | ØD | Ød | L | l | L1 | | | | | | |
| SPMX0502 | NT-DRS-2D D12.50-S20-05 | ★ | 12.5 | 20 | 94 | 44 | 26 | NT-ST059 | NT-FT06 | | | | |
| | D13.00-S20-05 | ★ | 13 | 20 | 94 | 44 | 26 | NT-ST059 | NT-FT06 | | | | |
| | D13.50-S20-05 | ★ | 13.5 | 20 | 96 | 46 | 28 | NT-ST059 | NT-FT06 | | | | |
| | D14.00-S20-05 | ★ | 14 | 20 | 96 | 46 | 28 | NT-ST059 | NT-FT06 | | | | |
| | D14.50-S20-05 | ★ | 14.5 | 20 | 99 | 49 | 30 | NT-ST059 | NT-FT06 | | | | |
| SPMX0602 | NT-DRS-2D D15.50-S25-06 | ★ | 15.5 | 25 | 108 | 52 | 32 | NT-ST061 | NT-FT06 | | | | |
| | D16.00-S25-06 | ★ | 16 | 25 | 108 | 52 | 32 | NT-ST061 | NT-FT06 | | | | |
| | D16.50-S25-06 | ★ | 16.5 | 25 | 110 | 54 | 34 | NT-ST061 | NT-FT06 | | | | |
| | D17.00-S25-06 | ★ | 17 | 25 | 110 | 54 | 34 | NT-ST061 | NT-FT06 | | | | |
| | D17.50-S25-06 | ★ | 17.5 | 25 | 113 | 57 | 36 | NT-ST061 | NT-FT06 | | | | |
| | D18.00-S25-06 | ★ | 18 | 25 | 113 | 57 | 36 | NT-ST061 | NT-FT06 | | | | |
| | D18.50-S25-06 | ★ | 18.5 | 25 | 115 | 59 | 38 | NT-ST061 | NT-FT06 | | | | |
| | D19.00-S25-06 | ★ | 19 | 25 | 115 | 59 | 38 | NT-ST061 | NT-FT06 | | | | |
| | D19.50-S25-06 | ★ | 19.5 | 25 | 119 | 63 | 40 | NT-ST061 | NT-FT06 | | | | |
| | D20.00-S25-06 | ★ | 20 | 25 | 119 | 63 | 40 | NT-ST061 | NT-FT06 | | | | |
| | D20.50-S25-06 | ★ | 20.5 | 25 | 121 | 65 | 42 | NT-ST061 | NT-FT06 | | | | |
| | D21.00-S25-06 | ★ | 21 | 25 | 121 | 65 | 42 | NT-ST061 | NT-FT06 | | | | |
| | D21.50-S25-06 | ★ | 21.5 | 25 | 123 | 67 | 44 | NT-ST061 | NT-FT06 | | | | |
| SPMX07T3 | NT-DRS-2D D22.00-S25-07 | ★ | 22 | 25 | 123 | 67 | 44 | NT-ST062 | NT-FT07 | | | | |
| | D22.50-S32-07 | ★ | 22.5 | 32 | 131 | 71 | 46 | NT-ST062 | NT-FT07 | | | | |
| | D23.00-S32-07 | ★ | 23 | 32 | 131 | 71 | 46 | NT-ST062 | NT-FT07 | | | | |
| | D23.50-S32-07 | ★ | 23.5 | 32 | 134 | 74 | 48 | NT-ST062 | NT-FT07 | | | | |
| | D24.00-S32-07 | ★ | 24 | 32 | 134 | 74 | 48 | NT-ST062 | NT-FT07 | | | | |
| | D24.50-S32-07 | ★ | 24.5 | 32 | 137 | 77 | 50 | NT-ST062 | NT-FT07 | | | | |
| | D25.00-S32-07 | ★ | 25 | 32 | 137 | 77 | 50 | NT-ST062 | NT-FT07 | | | | |
| | D25.50-S32-07 | ★ | 25.5 | 32 | 139 | 79 | 52 | NT-ST062 | NT-FT07 | | | | |
| | D26.00-S32-07 | ★ | 26 | 32 | 139 | 79 | 52 | NT-ST062 | NT-FT07 | | | | |
| | D26.50-S32-07 | ★ | 26.5 | 32 | 141 | 81 | 54 | NT-ST062 | NT-FT07 | | | | |
| | D27.00-S32-07 | ★ | 27 | 32 | 141 | 81 | 54 | NT-ST062 | NT-FT07 | | | | |
| D27.50-S32-07 | ★ | 27.5 | 32 | 144 | 84 | 56 | NT-ST062 | NT-FT07 | | | | | |
| SPMX0904 | NT-DRS-2D D28.00-S32-09 | ★ | 28 | 32 | 144 | 84 | 56 | NT-ST063 | NT-FT15 | | | | |
| | D28.50-S32-09 | ★ | 28.5 | 32 | 146 | 86 | 58 | NT-ST063 | NT-FT15 | | | | |
| | D29.00-S32-09 | ★ | 29 | 32 | 146 | 86 | 58 | NT-ST063 | NT-FT15 | | | | |
| | D29.50-S32-09 | ★ | 29.5 | 32 | 151 | 91 | 60 | NT-ST063 | NT-FT15 | | | | |
| | D30.00-S32-09 | ★ | 30 | 32 | 151 | 91 | 60 | NT-ST063 | NT-FT15 | | | | |
| | D31.00-S32-09 | ★ | 31 | 32 | 154 | 94 | 62 | NT-ST063 | NT-FT15 | | | | |
| | D32.00-S32-09 | ★ | 32 | 32 | 156 | 96 | 64 | NT-ST063 | NT-FT15 | | | | |
| D33.00-S32-09 | ★ | 33 | 32 | 159 | 99 | 66 | NT-ST063 | NT-FT15 | | | | | |

carbide


345

NT-DRS

NEW

2xD

SP



| SP <input type="checkbox"/> <input type="checkbox"/> | DESCRIPTION | STOCK | DIMENSIONS | | | | | | | | | | |
|--|-------------------------|-------|------------|-----|-----|-----|----------------|----------|---------|--|--|--|--|
| | | | ØD | Ød | L | l | l ₁ | | | | | | |
| SPMX1104 | NT-DRS-2D D34.00-S32-11 | ★ | 34 | 32 | 161 | 101 | 68 | NT-ST064 | NT-FT15 | | | | |
| | D34.00-S40-11 | ★ | 34 | 40 | 171 | 101 | 68 | NT-ST064 | NT-FT15 | | | | |
| | D35.00-S32-11 | ★ | 35 | 32 | 164 | 104 | 70 | NT-ST064 | NT-FT15 | | | | |
| | D35.00-S40-11 | ★ | 35 | 40 | 174 | 104 | 70 | NT-ST064 | NT-FT15 | | | | |
| | D36.00-S32-11 | ★ | 36 | 32 | 167 | 107 | 72 | NT-ST064 | NT-FT15 | | | | |
| | D36.00-S40-11 | ★ | 36 | 40 | 177 | 107 | 72 | NT-ST064 | NT-FT15 | | | | |
| | D37.00-S32-11 | ★ | 37 | 32 | 170 | 110 | 74 | NT-ST064 | NT-FT15 | | | | |
| | D37.00-S40-11 | ★ | 37 | 40 | 180 | 110 | 74 | NT-ST064 | NT-FT15 | | | | |
| | D38.00-S32-11 | ★ | 38 | 32 | 173 | 113 | 76 | NT-ST064 | NT-FT15 | | | | |
| | D38.00-S40-11 | ★ | 38 | 40 | 183 | 113 | 76 | NT-ST064 | NT-FT15 | | | | |
| | D39.00-S32-11 | ★ | 39 | 32 | 175 | 115 | 78 | NT-ST064 | NT-FT15 | | | | |
| | D39.00-S40-11 | ★ | 39 | 40 | 185 | 115 | 78 | NT-ST064 | NT-FT15 | | | | |
| | D40.00-S32-11 | ★ | 40 | 32 | 178 | 118 | 80 | NT-ST064 | NT-FT15 | | | | |
| | D40.00-S40-11 | ★ | 40 | 40 | 188 | 118 | 80 | NT-ST064 | NT-FT15 | | | | |
| | D41.00-S32-11 | ★ | 41 | 32 | 181 | 121 | 82 | NT-ST064 | NT-FT15 | | | | |
| D41.00-S40-11 | ★ | 41 | 40 | 191 | 121 | 82 | NT-ST064 | NT-FT15 | | | | | |
| SPMX1405 | NT-DRS-2D D42.00-S40-14 | ★ | 42 | 40 | 193 | 123 | 84 | NT-ST066 | NT-DT20 | | | | |
| | D43.00-S40-14 | ★ | 43 | 40 | 196 | 126 | 86 | NT-ST066 | NT-DT20 | | | | |
| | D44.00-S40-14 | ★ | 44 | 40 | 198 | 128 | 88 | NT-ST066 | NT-DT20 | | | | |
| | D45.00-S40-14 | ★ | 45 | 40 | 202 | 132 | 90 | NT-ST066 | NT-DT20 | | | | |
| | D46.00-S40-14 | ★ | 46 | 40 | 205 | 135 | 92 | NT-ST066 | NT-DT20 | | | | |
| | D47.00-S40-14 | ★ | 47 | 40 | 207 | 137 | 94 | NT-ST066 | NT-DT20 | | | | |
| | D48.00-S40-14 | ★ | 48 | 40 | 210 | 140 | 96 | NT-ST066 | NT-DT20 | | | | |
| | D49.00-S40-14 | ★ | 49 | 40 | 212 | 142 | 98 | NT-ST066 | NT-DT20 | | | | |
| | D50.00-S40-14 | ★ | 50 | 40 | 215 | 145 | 100 | NT-ST066 | NT-DT20 | | | | |

carbide

345

TURNING

MICRONEGA

MICROBORING

THREADING

GROOVING

MILLING

DRILLING

SPARE PARTS

INDEX

TURNING

MICRONEGA

MICROBORING

THREADING

GROOVING

MILLING

DRILLING

SPARE PARTS


INDEX

NT-DRS

NEW

3xD

SP



| SP <input type="checkbox"/> <input type="checkbox"/> | DESCRIPTION | STOCK | DIMENSIONS | | | | | | | | | | |
|--|-------------------------|-------------------------|------------|-----|-----|-----|----------|----------|----------|---------|--|--|--|
| | | | ØD | Ød | L | l | l1 | | | | | | |
| SPMX0502 | NT-DRS-3D D12.50-S20-05 | ★ | 12.5 | 20 | 107 | 57 | 39 | NT-ST059 | NT-FT06 | | | | |
| | D13.00-S20-05 | ★ | 13 | 20 | 107 | 57 | 39 | NT-ST059 | NT-FT06 | | | | |
| | D13.50-S20-05 | ★ | 13.5 | 20 | 110 | 60 | 42 | NT-ST059 | NT-FT06 | | | | |
| | D14.00-S20-05 | ★ | 14 | 20 | 110 | 60 | 42 | NT-ST059 | NT-FT06 | | | | |
| | D14.50-S20-05 | ★ | 14.5 | 20 | 114 | 64 | 45 | NT-ST059 | NT-FT06 | | | | |
| | D15.00-S20-05 | ★ | 15 | 20 | 114 | 64 | 45 | NT-ST059 | NT-FT06 | | | | |
| SPMX0602 | NT-DRS-3D D15.50-S25-06 | ★ | 15.5 | 25 | 124 | 68 | 48 | NT-ST061 | NT-FT06 | | | | |
| | D16.00-S25-06 | ★ | 16 | 25 | 124 | 68 | 48 | NT-ST061 | NT-FT06 | | | | |
| | D16.50-S25-06 | ★ | 16.5 | 25 | 127 | 71 | 51 | NT-ST061 | NT-FT06 | | | | |
| | D17.00-S25-06 | ★ | 17 | 25 | 127 | 71 | 51 | NT-ST061 | NT-FT06 | | | | |
| | D17.50-S25-06 | ★ | 17.5 | 25 | 131 | 75 | 54 | NT-ST061 | NT-FT06 | | | | |
| | D18.00-S25-06 | ★ | 18 | 25 | 131 | 75 | 54 | NT-ST061 | NT-FT06 | | | | |
| | D18.50-S25-06 | ★ | 18.5 | 25 | 134 | 78 | 57 | NT-ST061 | NT-FT06 | | | | |
| | D19.00-S25-06 | ★ | 19 | 25 | 134 | 78 | 57 | NT-ST061 | NT-FT06 | | | | |
| | D19.50-S25-06 | ★ | 19.5 | 25 | 139 | 83 | 60 | NT-ST061 | NT-FT06 | | | | |
| | D20.00-S25-06 | ★ | 20 | 25 | 139 | 83 | 60 | NT-ST061 | NT-FT06 | | | | |
| | D20.50-S25-06 | ★ | 20.5 | 25 | 142 | 86 | 63 | NT-ST061 | NT-FT06 | | | | |
| | D21.00-S25-06 | ★ | 21 | 25 | 142 | 86 | 63 | NT-ST061 | NT-FT06 | | | | |
| | D21.50-S25-06 | ★ | 21.5 | 25 | 145 | 89 | 66 | NT-ST061 | NT-FT06 | | | | |
| | SPMX07T3 | NT-DRS-3D D22.00-S25-07 | ★ | 22 | 25 | 145 | 89 | 66 | NT-ST062 | NT-FT07 | | | |
| D22.50-S32-07 | | ★ | 22.5 | 32 | 154 | 94 | 69 | NT-ST062 | NT-FT07 | | | | |
| D23.00-S32-07 | | ★ | 23 | 32 | 154 | 94 | 69 | NT-ST062 | NT-FT07 | | | | |
| D23.50-S32-07 | | ★ | 23.5 | 32 | 158 | 98 | 72 | NT-ST062 | NT-FT07 | | | | |
| D24.00-S32-07 | | ★ | 24 | 32 | 158 | 98 | 72 | NT-ST062 | NT-FT07 | | | | |
| D24.50-S32-07 | | ★ | 24.5 | 32 | 162 | 102 | 75 | NT-ST062 | NT-FT07 | | | | |
| D25.00-S32-07 | | ★ | 25 | 32 | 162 | 102 | 75 | NT-ST062 | NT-FT07 | | | | |
| D25.50-S32-07 | | ★ | 25.5 | 32 | 165 | 105 | 78 | NT-ST062 | NT-FT07 | | | | |
| D26.00-S32-07 | | ★ | 26 | 32 | 165 | 105 | 78 | NT-ST062 | NT-FT07 | | | | |
| D26.50-S32-07 | | ★ | 26.5 | 32 | 168 | 108 | 81 | NT-ST062 | NT-FT07 | | | | |
| D27.00-S32-07 | | ★ | 27 | 32 | 168 | 108 | 81 | NT-ST062 | NT-FT07 | | | | |
| D27.50-S32-07 | ★ | 27.5 | 32 | 172 | 112 | 84 | NT-ST062 | NT-FT07 | | | | | |
| SPMX0904 | NT-DRS-3D D28.00-S32-09 | ★ | 28 | 32 | 172 | 112 | 84 | NT-ST063 | NT-FT15 | | | | |
| | D28.50-S32-09 | ★ | 28.5 | 32 | 175 | 115 | 87 | NT-ST063 | NT-FT15 | | | | |
| | D29.00-S32-09 | ★ | 29 | 32 | 175 | 115 | 87 | NT-ST063 | NT-FT15 | | | | |
| | D29.50-S32-09 | ★ | 29.5 | 32 | 181 | 121 | 90 | NT-ST063 | NT-FT15 | | | | |
| | D30.00-S32-09 | ★ | 30 | 32 | 181 | 121 | 90 | NT-ST063 | NT-FT15 | | | | |
| | D31.00-S32-09 | ★ | 31 | 32 | 185 | 125 | 93 | NT-ST063 | NT-FT15 | | | | |
| | D32.00-S32-09 | ★ | 32 | 32 | 188 | 128 | 96 | NT-ST063 | NT-FT15 | | | | |
| | D33.00-S32-09 | ★ | 33 | 32 | 192 | 132 | 99 | NT-ST063 | NT-FT15 | | | | |

carbide

345

NT-DRS NEW

3xD SP

| SP | DESCRIPTION | STOCK | DIMENSIONS | | | | | | | | | | |
|--|-------------------------|-------|------------|----|-----|-----|----------------|----------|---------|--|--|--|--|
| | | | ØD | Ød | L | l | l ₁ | | | | | | |
| SPMX1104 | NT-DRS-3D D34.00-S32-11 | ★ | 34 | 32 | 195 | 135 | 102 | NT-ST064 | NT-FT15 | | | | |
| | D34.00-S40-11 | ★ | 34 | 40 | 205 | 135 | 102 | NT-ST064 | NT-FT15 | | | | |
| | D35.00-S32-11 | ★ | 35 | 32 | 199 | 139 | 105 | NT-ST064 | NT-FT15 | | | | |
| | D35.00-S40-11 | ★ | 35 | 40 | 209 | 139 | 105 | NT-ST064 | NT-FT15 | | | | |
| | D36.00-S32-11 | ★ | 36 | 32 | 203 | 143 | 108 | NT-ST064 | NT-FT15 | | | | |
| | D36.00-S40-11 | ★ | 36 | 40 | 213 | 143 | 108 | NT-ST064 | NT-FT15 | | | | |
| | D37.00-S32-11 | ★ | 37 | 32 | 207 | 147 | 111 | NT-ST064 | NT-FT15 | | | | |
| | D37.00-S40-11 | ★ | 37 | 40 | 217 | 147 | 111 | NT-ST064 | NT-FT15 | | | | |
| | D38.00-S32-11 | ★ | 38 | 32 | 211 | 151 | 114 | NT-ST064 | NT-FT15 | | | | |
| | D38.00-S40-11 | ★ | 38 | 40 | 221 | 151 | 114 | NT-ST064 | NT-FT15 | | | | |
| | D39.00-S32-11 | ★ | 39 | 32 | 214 | 154 | 117 | NT-ST064 | NT-FT15 | | | | |
| | D39.00-S40-11 | ★ | 39 | 40 | 224 | 154 | 117 | NT-ST064 | NT-FT15 | | | | |
| | D40.00-S32-11 | ★ | 40 | 32 | 218 | 158 | 120 | NT-ST064 | NT-FT15 | | | | |
| | D40.00-S40-11 | ★ | 40 | 40 | 228 | 158 | 120 | NT-ST064 | NT-FT15 | | | | |
| | D41.00-S32-11 | ★ | 41 | 32 | 222 | 162 | 123 | NT-ST064 | NT-FT15 | | | | |
| | D41.00-S40-11 | ★ | 41 | 40 | 232 | 162 | 123 | NT-ST064 | NT-FT15 | | | | |
| SPMX1405 | NT-DRS-3D D42.00-S40-14 | ★ | 42 | 40 | 235 | 165 | 126 | NT-ST066 | NT-DT20 | | | | |
| | D43.00-S40-14 | ★ | 43 | 40 | 239 | 169 | 129 | NT-ST066 | NT-DT20 | | | | |
| | D44.00-S40-14 | ★ | 44 | 40 | 242 | 172 | 132 | NT-ST066 | NT-DT20 | | | | |
| | D45.00-S40-14 | ★ | 45 | 40 | 247 | 177 | 135 | NT-ST066 | NT-DT20 | | | | |
| | D46.00-S40-14 | ★ | 46 | 40 | 251 | 181 | 138 | NT-ST066 | NT-DT20 | | | | |
| | D47.00-S40-14 | ★ | 47 | 40 | 254 | 184 | 141 | NT-ST066 | NT-DT20 | | | | |
| | D48.00-S40-14 | ★ | 48 | 40 | 258 | 188 | 144 | NT-ST066 | NT-DT20 | | | | |
| | D49.00-S40-14 | ★ | 49 | 40 | 261 | 191 | 147 | NT-ST066 | NT-DT20 | | | | |
| | D50.00-S40-14 | ★ | 50 | 40 | 265 | 195 | 150 | NT-ST066 | NT-DT20 | | | | |

carbide ▶ 345

- TURNING
- MICRONEGA
- MICROBORING
- THREADING
- GROOVING
- MILLING
- DRILLING
- SPARE PARTS
- INDEX

TURNING

MICRONEGATIVE

MICROBORING

THREADING

GROOVING

MILLING

DRILLING

SPARE PARTS


INDEX

NT-DRS

NEW

4xD

SP



| SP <input type="checkbox"/> <input type="checkbox"/> | DESCRIPTION | STOCK | DIMENSIONS | | | | | | | | | | |
|--|-------------------------|-------------------------|------------|-----|-----|-----|----------|----------|----------|---------|--|--|--|
| | | | ØD | Ød | L | l | l1 | | | | | | |
| SPMX0502 | NT-DRS-4D D12.50-S20-05 | ★ | 12.5 | 20 | 120 | 70 | 52 | NT-ST059 | NT-FT06 | | | | |
| | D13.00-S20-05 | ★ | 13 | 20 | 120 | 70 | 52 | NT-ST059 | NT-FT06 | | | | |
| | D13.50-S20-05 | ★ | 13.5 | 20 | 124 | 74 | 56 | NT-ST059 | NT-FT06 | | | | |
| | D14.00-S20-05 | ★ | 14 | 20 | 124 | 74 | 56 | NT-ST059 | NT-FT06 | | | | |
| | D14.50-S20-05 | ★ | 14.5 | 20 | 129 | 79 | 60 | NT-ST059 | NT-FT06 | | | | |
| | D15.00-S20-05 | ★ | 15 | 20 | 129 | 79 | 60 | NT-ST059 | NT-FT06 | | | | |
| SPMX0602 | NT-DRS-4D D15.50-S25-06 | ★ | 15.5 | 25 | 140 | 84 | 64 | NT-ST061 | NT-FT06 | | | | |
| | D16.00-S25-06 | ★ | 16 | 25 | 140 | 84 | 64 | NT-ST061 | NT-FT06 | | | | |
| | D16.50-S25-06 | ★ | 16.5 | 25 | 144 | 88 | 68 | NT-ST061 | NT-FT06 | | | | |
| | D17.00-S25-06 | ★ | 17 | 25 | 144 | 88 | 68 | NT-ST061 | NT-FT06 | | | | |
| | D17.50-S25-06 | ★ | 17.5 | 25 | 149 | 93 | 72 | NT-ST061 | NT-FT06 | | | | |
| | D18.00-S25-06 | ★ | 18 | 25 | 149 | 93 | 72 | NT-ST061 | NT-FT06 | | | | |
| | D18.50-S25-06 | ★ | 18.5 | 25 | 153 | 97 | 76 | NT-ST061 | NT-FT06 | | | | |
| | D19.00-S25-06 | ★ | 19 | 25 | 153 | 97 | 76 | NT-ST061 | NT-FT06 | | | | |
| | D19.50-S25-06 | ★ | 19.5 | 25 | 159 | 103 | 80 | NT-ST061 | NT-FT06 | | | | |
| | D20.00-S25-06 | ★ | 20 | 25 | 159 | 103 | 80 | NT-ST061 | NT-FT06 | | | | |
| | D20.50-S25-06 | ★ | 20.5 | 25 | 163 | 107 | 84 | NT-ST061 | NT-FT06 | | | | |
| | D21.00-S25-06 | ★ | 21 | 25 | 163 | 107 | 84 | NT-ST061 | NT-FT06 | | | | |
| | D21.50-S25-06 | ★ | 21.5 | 25 | 167 | 111 | 88 | NT-ST061 | NT-FT06 | | | | |
| | SPMX07T3 | NT-DRS-4D D22.00-S25-07 | ★ | 22 | 25 | 167 | 111 | 88 | NT-ST062 | NT-FT07 | | | |
| D22.50-S32-07 | | ★ | 22.5 | 32 | 177 | 117 | 92 | NT-ST062 | NT-FT07 | | | | |
| D23.00-S32-07 | | ★ | 23 | 32 | 177 | 117 | 92 | NT-ST062 | NT-FT07 | | | | |
| D23.50-S32-07 | | ★ | 23.5 | 32 | 182 | 122 | 96 | NT-ST062 | NT-FT07 | | | | |
| D24.00-S32-07 | | ★ | 24 | 32 | 182 | 122 | 96 | NT-ST062 | NT-FT07 | | | | |
| D24.50-S32-07 | | ★ | 24.5 | 32 | 187 | 127 | 100 | NT-ST062 | NT-FT07 | | | | |
| D25.00-S32-07 | | ★ | 25 | 32 | 187 | 127 | 100 | NT-ST062 | NT-FT07 | | | | |
| D25.50-S32-07 | | ★ | 25.5 | 32 | 191 | 131 | 104 | NT-ST062 | NT-FT07 | | | | |
| D26.00-S32-07 | | ★ | 26 | 32 | 191 | 131 | 104 | NT-ST062 | NT-FT07 | | | | |
| D26.50-S32-07 | | ★ | 26.5 | 32 | 195 | 135 | 108 | NT-ST062 | NT-FT07 | | | | |
| D27.00-S32-07 | | ★ | 27 | 32 | 195 | 135 | 108 | NT-ST062 | NT-FT07 | | | | |
| D27.50-S32-07 | ★ | 27.5 | 32 | 200 | 140 | 112 | NT-ST062 | NT-FT07 | | | | | |
| SPMX0904 | NT-DRS-4D D28.00-S32-09 | ★ | 28 | 32 | 200 | 140 | 112 | NT-ST063 | NT-FT15 | | | | |
| | D28.50-S32-09 | ★ | 28.5 | 32 | 204 | 144 | 116 | NT-ST063 | NT-FT15 | | | | |
| | D29.00-S32-09 | ★ | 29 | 32 | 204 | 144 | 116 | NT-ST063 | NT-FT15 | | | | |
| | D29.50-S32-09 | ★ | 29.5 | 32 | 211 | 151 | 120 | NT-ST063 | NT-FT15 | | | | |
| | D30.00-S32-09 | ★ | 30 | 32 | 211 | 151 | 120 | NT-ST063 | NT-FT15 | | | | |
| | D31.00-S32-09 | ★ | 31 | 32 | 216 | 156 | 124 | NT-ST063 | NT-FT15 | | | | |
| | D32.00-S32-09 | ★ | 32 | 32 | 220 | 160 | 128 | NT-ST063 | NT-FT15 | | | | |
| | D33.00-S32-09 | ★ | 33 | 32 | 225 | 165 | 132 | NT-ST063 | NT-FT15 | | | | |

carbide


345

NT-DRS

NEW

4xD

SP



| SP <input type="checkbox"/> <input type="checkbox"/> | DESCRIPTION | STOCK | DIMENSIONS | | | | | | | | | | |
|--|-------------------------|-------|------------|-----|-----|-----|----------|----------|---------|--|--|--|--|
| | | | ØD | Ød | L | l | l1 | | | | | | |
| SPMX1104 | NT-DRS-4D D34.00-S32-11 | ★ | 34 | 32 | 229 | 169 | 136 | NT-ST064 | NT-FT15 | | | | |
| | D34.00-S40-11 | ★ | 34 | 40 | 239 | 169 | 136 | NT-ST064 | NT-FT15 | | | | |
| | D35.00-S32-11 | ★ | 35 | 32 | 234 | 174 | 140 | NT-ST064 | NT-FT15 | | | | |
| | D35.00-S40-11 | ★ | 35 | 40 | 244 | 174 | 140 | NT-ST064 | NT-FT15 | | | | |
| | D36.00-S32-11 | ★ | 36 | 32 | 239 | 179 | 144 | NT-ST064 | NT-FT15 | | | | |
| | D36.00-S40-11 | ★ | 36 | 40 | 249 | 179 | 144 | NT-ST064 | NT-FT15 | | | | |
| | D37.00-S32-11 | ★ | 37 | 32 | 244 | 184 | 148 | NT-ST064 | NT-FT15 | | | | |
| | D37.00-S40-11 | ★ | 37 | 40 | 254 | 184 | 148 | NT-ST064 | NT-FT15 | | | | |
| | D38.00-S32-11 | ★ | 38 | 32 | 249 | 189 | 152 | NT-ST064 | NT-FT15 | | | | |
| | D38.00-S40-11 | ★ | 38 | 40 | 259 | 189 | 152 | NT-ST064 | NT-FT15 | | | | |
| | D39.00-S32-11 | ★ | 39 | 32 | 253 | 193 | 156 | NT-ST064 | NT-FT15 | | | | |
| | D39.00-S40-11 | ★ | 39 | 40 | 263 | 193 | 156 | NT-ST064 | NT-FT15 | | | | |
| | D40.00-S32-11 | ★ | 40 | 32 | 258 | 198 | 160 | NT-ST064 | NT-FT15 | | | | |
| | D40.00-S40-11 | ★ | 40 | 40 | 268 | 198 | 160 | NT-ST064 | NT-FT15 | | | | |
| | D41.00-S32-11 | ★ | 41 | 32 | 263 | 203 | 164 | NT-ST064 | NT-FT15 | | | | |
| D41.00-S40-11 | ★ | 41 | 40 | 273 | 203 | 164 | NT-ST064 | NT-FT15 | | | | | |
| SPMX1405 | NT-DRS-4D D42.00-S40-14 | ★ | 42 | 40 | 277 | 207 | 168 | NT-ST066 | NT-DT20 | | | | |
| | D43.00-S40-14 | ★ | 43 | 40 | 282 | 212 | 172 | NT-ST066 | NT-DT20 | | | | |
| | D44.00-S40-14 | ★ | 44 | 40 | 286 | 216 | 176 | NT-ST066 | NT-DT20 | | | | |
| | D45.00-S40-14 | ★ | 45 | 40 | 292 | 222 | 180 | NT-ST066 | NT-DT20 | | | | |
| | D46.00-S40-14 | ★ | 46 | 40 | 297 | 227 | 184 | NT-ST066 | NT-DT20 | | | | |
| | D47.00-S40-14 | ★ | 47 | 40 | 301 | 231 | 188 | NT-ST066 | NT-DT20 | | | | |
| | D48.00-S40-14 | ★ | 48 | 40 | 306 | 236 | 192 | NT-ST066 | NT-DT20 | | | | |
| | D49.00-S40-14 | ★ | 49 | 40 | 310 | 240 | 196 | NT-ST066 | NT-DT20 | | | | |
| | D50.00-S40-14 | ★ | 50 | 40 | 315 | 245 | 200 | NT-ST066 | NT-DT20 | | | | |

carbide

345

TURNING

MICRONEGA

MICROBORING

THREADING

GROOVING

MILLING

DRILLING

SPARE PARTS

INDEX